



Do More, FEEL BETTER, LIVE LONGER. Dedicated to make you

A Winning Antibiotic for Tonsillitis


Alethro-500

Azithromycin 500mg Tablets

- Superior clinical cure rate compared to clarithromycin in chronic bronchitis. Treats Respir Med. 2005; 4 (1) 31-9
- Single dose azithromycin is effective in the treatment of severe cholera in adults. (N. Engl. j.Med. 2006; 354: 2452-62, June8, 2006)
- Broad spectrum of action against gram +ve & gram -ve organism including H. Influenza, Mycoplasma, Chlamydia & Salmonella.

Also Available





- Indications
- Tonsillitis
 S.T.D
 Otitis Media
 - Skin & Soft Tissue . Pneumonia & Sinusitis

Tough Infections Need Tough Antibiotics

A Great Soldier is Required to Fight Tough Infection

Alamox-LB 625

Amoxycillin 500mg + Clavulanic Acid 125mg + Lactic Acid Bacillus 60Million Spores Tablets

AMOXYCILLIN:

- Offers wide coverage against both gram +ve & gram-ve pathogens.
- Achieves peak serum level (Between 1 to 2 Hrs).

CLAVULANIC ACID:

- Extends the antibacterial action of Amoxycillin.
- Protects Amoxycillin from hydrolysis.

LACTIC ACID BACILLUS:

- Corrects biological & metabolic alterations & replenishes the normal G.I. Flora.
- Re-establishes Normal Gi Flora.



A Versatile effective combination for complete protection



When Infections are dominating.....

Alxime-LB 200

Cefixime 200mg + Lactic Acid Bacillus 60million Spores Tablets

CEFIXIME:

- Possesses broad spectrum activity against both gram positive & gram negative organisms.
- Highly stable in the presence of beta-lactamase enzymes.
- More active than co-trimoxazole against providencia stuartii, proteus vulgaris and klebsiella species.
- Prime Choice of switching therapy (from parenteral to oral) owing to its very efficacy and safety profile.

Also Available



- LRTI TONSILLITIS TYPHOID
- BRONCHITIS UTI URTI



Terminating the infections in perfect way

Double Action for Better Management



Indication

- Diarrhoea & Dysentery
- Gastro-Intestinal Infections
- Surgical Infections
- Dental Infections

Aloxin-0Z

Ofloxacin 200mg + Ornidazole 500mg Tablet

OFLOXACIN

- Highly effective & well tolerated bactericidal flouroquinolone.
- Excellent bioavailability as compared to Norfloxacin & Ciprofloxacin.
- Convenience of Dosage.

ORNIDAZOLE

- A potent 5 nitroimidazole derivative with broad spectrum anti-protozoal & anti-microbial activity.
- Lesser incidence of metallic taste and nausea than Tinidazole.
- No interaction with alcohol.

Double Combination for Polymicrobial Infections

Aleap-SP

Aceclofenac 100mg +

Paracetamol 325mg + Serratiopeptidase 15mg Tablets

- Inhibits the synthesis of inflammatory cytokine, interleukin (IL-6) & inhibits prostaglandin E. production.
- Double action takes care of the site of inflammation.
- Rapid onset of analgesia.
- Paracetamol provides enhanced analgesic antipyretic & anti-inflammatory action.
- Degradation of extra-fibrin to small fragment prevents the clogging of microcapillaries.
- Helps clearance of exudates, reduces swelling and improves microcirculation.
- Helps Eliminate Sputum, Pus, Haematoma. Relieves mild to moderate body pain. Time lasting anti-fibrinolytic, anti-oedemic agent.

For Faster Pain Relief Without **GI Trouble**

- Post Surgical Inflammation
 - Traumatic Injury
 - ENT Inflammation
- Osteoarthritis
- Dental Abscesses

Also Available

Aleap-IR Aleap-I

Aceclofenac 50mg + Paracetamol 125mg/ 5ml Syrup

Aceclofenac 100mg + Paracetamol 325mg Tablets



Ketorolac is a nonsteroidal anti-inflammatory drug (NSAID)

- Ketorolac is only intended for short-term treatment of moderately severe pain.
- It should not be used to treat minor or long-term pain.
- Do not use ketorolac unless prescribed.
- Do not use ketorolac to treat children.



Powerful pain Management

Quick Pain Relief

Altra Relax Diclofenac Diethylamine 2.32% w/w, Methyl Salicylate 10.00% w/w, Menthol 5.00 % w/w,



- Inhibits cyclo-oxygenase enzyme and reduces formation of PGE2.
- Ensures rapid relief from pain and inflammation.
- Locally acting analgesic.

Absolute Alcohol 10.0%w/w Gel

- A time-tested anti-inflammatory agent.
- Predominantly contains essential fatty acids, i.e. linolenic acid which helps in reducing the level of highly inflammatory agent PGE2 in the skin.
- Induces cooling effect, reduces irritation.

For topical management of Pain & Inflammation

Indications:

- Spasmodic Dysmenorrhea
 Post IUCD Insertion
- Smooth Muscle Spasm
- Post Surgical Uterine Spasm
- Spastic Constipation



When Abdominal Pain Disturbs the Quality of Life.....

Aldrom

Drotaverine 80mg + Mefenamic Acid 250mg Tablets

Drotaverine provides direct, specific & fast onset of smooth muscles.

Mefenamic acid with its anti-inflammatory action provides relief from pain.

Combination achieves better result than monotherapy.

Least reported adverse effects.

Overcomes spasm during uncomfortable days.....

Scientific breakthrough in the treatment of Osteoarthritis

Diacerein 50mg + Glucosamine 750mg + Methyl Sulfonyl Methane 250mg Tablets

GLUCOSAMINE:

- Repairs & rebuilds damaged cartilage.
- Reduces pain & stiffness.
- Inhibits those enzymes which breakdown cartilage.

DIACEREIN:

Relieves pain, slows the break down of cartilage & reduces inflammation.

METHYL SULFONYL METHANE:

Glucosamine with MSM provide additive treatment of joint pains.

Indications:

Osteoarthritis
 Synovitis
 Joint pain
 Post knee surgery

Fortify mobility & ensure a better quality of life

For acute Inflammatory and allergic Disorders



Indicated in:

- Rheumatoid Arthritis
 Dystrophy
- Nephrotic Syndrome
 Sarcodosis
- Renal Transplant
 Asthma
 Ulcerative Colitis
- Juvenile idiopathic arthritis
- Severe Allergic Reactions



Deflazacort 6mg Tablets

- Aldcort-6 has no impairment of calcium absorption.
- Aldcort-6 has least effect on glucose metabolism than betamethasone.
- Hence Aldcort-6 is suitable for corticosteroid therapy in prediabetic & diabetic Patients.
- 50% less side effects compared to prednisolone.
- 11 times less chances of brain damage compared to prednisolone.

A glucocorticosteroid with immunosuppresive activity

Gain freedom from Congestive Shackles & Breathe Easy

Levocetirizine 5mg + Montelukast 10mg Tablet

LEVOCETIRIZINE

 Potent anti-histamine with decongestant properties without any sedative effects

MONTELUKAST SODIUM

- Potent, Specific Leukotriene receptor antagonist
- Relieves Stuffy, runny nose & sneezing caused by allergies both seasonal & perennial



Indications

- Allergic Rhinitis (Seasonal & Perennial)
- Asthma



Gives access to allergy free environment

Alcouf-LS

Ambroxol Hydrochloride 30mg +
Levosalbutamol 1mg + Guaiphenesin 50mg Syrup

LEVOSALBUTAMOL:

- R-isomer is considered the active isomer which binds to beta2 receptor sites, producing bronchodilation.
- The use of levosalbutamol instead of salbutamol produces less direct effect of B. Adrenergic receptor & fever cardiac side effects.

AMBROXOL:

- A systemically active mucolytic agent.
- Promotes mucus clearance, facilitates expectoration and eases productive cough.
- Effective in reducing exacerbation of chronic bronchitis and in the protection from inflammatory reactions.

GUAIPHENESIN:

- An expectorant.
- Loosens phlegm & increases the lubrication of lungs allowing excretion of productive cough.

Faster Relief whenever needed ...



Alcouf-LS


Ambroxol Hydrochloride 15mg +
Levosalbutamol 0.5mg + Guaiphenesin 50mg/5ml Syrup

ln.

Asthma

Bronchitis

Chronic Inflammatory Pulmonary conditions



Mouth or throad irritation




Alpadom -DSR

Pantoprazole 40mg + Domperidone 30mg (SR) Capsules

PANTOPROZOLE

- Most Effective in preventing Stress, Ulcers or Those Deep-Focal Lesions.

 Aliment Pharmacol Ther 2003; 17; 751-764
- No Interference with Excretion of Other Drug.
- Superior Anti Secretory Activity Than Omeprazole.



Indications

- Zollinger-Ellison Syndrome
 Duodenal & Gastric Ulcer
- Post Operative Nausea & Vomiting
 Dyspepsia
 GERD

DOMPERIDONE

- Possesses prokinetic and antiemetic effects.
- Increase lower esophageal tone & esophageal clearance.
- · Eliminates nausea & vomiting associated with GERD.
- Used for its prokinetic actions in dyspepsia.

The Megaforce In Hyperacidity & Reflux



For instant relief from **GERD** & **Heartburn**



In:

- Dyspepsia GERD
- Chronic Gastritis
- Post-opertaive Nausea & Vomiting
- Nausea Associated with Acid Peptic Disorders

RABEPRAZOLE

- Irreversible proton pump inhibitor that reduces gastric acid secretions.
- Possesses good efficiency in mucosal healing in patients with GERD and mild oesophagitis.
- Effective agent in the treatment of acid related disorders.
- More stable than omeprazole.

LEVOSULPIRIDE

- Acts on lower esophageal sphincter, Hence prevents GERD.
- Prevents Gastroparesis and has property of faster stomach emptying.

Effective Acid Control Prolonged Action

For Complete Package of Lycopene With...

Alevit-M

Lycopene + Beta Carotene + Multivitamin & Multiminerals Capsules

- Lycopene can help reduce blood LDL cholesterol.
- Reduces the risk of chronic illness heart disease
 & cancer.
- 6mg of lutein daily may decrease the occurrence of macular degeneration by more than 50%.
- Improves physical & mental stamina, Enhancing metabolic processes.
- Important role in reducing the risk of age related Macular Degeneration (AMD).
- Repairs the wear & tear of tissues.
- Improves wound healing.



Indications

- General Debility
- → Weak immunity
- → Skin Disorders
- Stress Cancer
- CVS/CNS Disorders
- Cataract

Also Available

Alevit-M

Multivitamin + Multimineral + Antioxidant Suspension



Uses

Hypocalcemia • Fractures

Post menopausal osteoporosis

Alcad-3

Calcium Citrate 1000mg + Magnesium 100mg + Vitamin D3 200 I.U. + Zinc 4mg Tablets

Widely Accepted

CALCIUM CITRATE:

Calcium citrate is more absorbable than calcium.
 MAGNESIUM:

 Important for health & development of bones & teeth.

 Helps in regulation of calcium transport in the body & its metabolism.

VITAMIN D3:

 Treat refractory rickets (Vitamin D resistant rickets).

ZINC:

- Vital for fetal development.
- Promotes bone mineral density.

Cholecalciferol (Vitamin D3) 60,000 IU Shot

- Better stability & superior bioavailability.
- Helps in mineral metabolism & bone growth.
- Optimal rise in serum Vitamin D level within 8 weeks, improving cardiac dysfunctions.
 (Clin. J Am soc Nephrol 2010, May)
- Lack of cholecalciferol may be a major factor in the development of diabetes.
 (Reversing diabetes & dietary supplement natural health 1999-2012)

- Excellent therapy in chronic kidney diseases in long term hemodialysis patient.
- Improves proper bone development & muscle contraction.

Nano Shots



- Osteoporosis
- Growing Children
- Osteomalacia
- Refractory Rickets
- Hypoparathyroidism
 Hypophosphatemia

GIVE YOUR PATIENT IRON PROTECTION WITH

Ferrous Ascorbate 100mg + Folic Acid 1.5mg + Zinc 22.50mg Tablets

- Highest bio availability ensuring faster Hb rise.
- Least incidences of GI irritation unlike conventional irons.
- Exhibits greater absorption of iron as compared with ferrous sulphate.
- Support fetal growth and maternal health.
- Strengthens fetal development.
- An essential nutrient for health & well-being.

Indications

- →Iron Deficiency Anaemia
- → Pregnancy / Lactation
- → Chronic Blood Loss



ALPROBIOTIC

Prebiotic + Probiotic with Zinc Sachet

Freedom From GI Problems

PREBIOTIC:

Prebiotic are dietary substances that nurture selected microorganisms living in the gut. They favour the growth of beneficial bacteria over that of harmful ones.

PROBIOTIC:

The term Probiotic means "for life". It is currently referred to the bacteria having beneficial effect on humans or animals. They are those supplement which beneficially affect the host by improving properties of indigenous flora.

- Improves digestive function.
- Delivers healthy bacteria to digestive system.
 - Supports healthy immune system.
 - Increases vitamin and mineral absorption.

To Spurt Digestion.....

Alpeptine

Carminative Mixture & Digestive Enzyme (30ml) Drops

Alpeptine Drop contains digestive enzymes, which are natural substances needed by the body to help break down & digest food. It is used when the pancreas cannot make or does not release enough digestive enzymes into the gut to digest the food.

- The time-tested combination for faster digestion of ingested food.
- Helps to maintain proper Peristaltic movement.
- Assures relief from associated flatulence.
- Increases appetite & ensures proper nutrition.

Side Effects: Diarrhea, Abdominal pain/cramps, or Nausea may occur.

Dosage: As Directed by the physician.



